



♀ LIGHTING >event >lunix



AIRSTAR

SPIRIT OF FREEDOM

lunix



main features

- > Helium-inflated balloon
- > Indoor or outdoor use
- > Can also be air-inflated when suspended
- > Dimmable light (halogen) or LED RGB

why should you have the lunix ?

A very versatile product: in its applications (lighting, communicating, decorating) and in its target markets (reception, showrooms, festivals etc..). It can also be customized, particularly with vinyl graphics. Thus it is an ideal product for rental jobs.

Lunix LED RGB: an helium lighting ballon with LED RGB and DMX control.

6 unique shapes: thanks to their unique shapes, Lunix lighting balloons bring a clear added value of differentiation to any kind of event. They also enable a great brand awareness that puts logos in the spotlight.

markets



Social events

Cocktails, parties, diners



Fashion

fashion shows, photoshoots



Festivals

concerts, arts, culture



Sports

Championships tournaments, races



Hospitality

Hotels, bars, restaurants



Business

Seminars, trade fairs



Branding

Showroom, street marketing, product launch



main strengths

> Customization

Branding and signal thanks to printed covers, slip covers (coloured, hot air balloon, etc.), and vinyl graphics

> Dimmable/DMX Control

Ability to choose the brightness or the color thanks to the control box

> Quick set up

About 15'

> Efficiency

Strong but soft light, with a 360° diffusion


> Strength of the structure and materials

Wind resistance up to 40 km/h and Airstar know-how



lunix

Envelope shapes



Standard shape (sphere) technical data

	Lunix 200	Lunix CX	Lunix 250	Lunix 300	Lunix 370	Lunix 500
Diameter	200 cm	160x250 cm	250 cm	300 cm	370 cm	500 cm
Helium volume	4.2 m ³	5.5 m ³	8.2 m ³	14.1 m ³	26.5 m ³	65.4 m ³
Average set up time	15 min		20 min		30 min	45 min
Type of lamps	Halogen or LEDs RGB					
Supply voltage	230 v / 120 v					
Number and power of lamps (W)	4x1000 W / 4x650 W halogen ou 6x9 W LEDs		4x1000 W / 4x650 W halogene ou 18x9 W LEDs		8x1000	8x2000
Lumen	up to 48 000				96 000	192 000
Number of plugs	3				5	
Wind resistance	30 km/h	40 km/h (with appropriated rigging)				