


..... NEW




#professional lighting

SIROCCO 2-S
12 x 10 W LED


aIRSTAR

SIROCCO 2-S
12 x 10 W LED

NEW



CONTEXT

In April 2015, Airstar launched the Sirocco 2-S range.

The 2-S range offers **real technical transformations** as well as ongoing improvements:

- Reinforced fabric, stronger and more durable for industrial use
- A flexible and vibration free lamp holder plate
- The south plate is now metallic
- The cage is now joined together with the south pole, like our 2-M range, making it mechanically stronger

New accessories also complete the 2-S range such as:

- A new stand: P400TA - A very stable stand for small Sirocco balloons.
- A new case: the pro-case - a case that gives you the ability to transport your lighting balloon with all its accessories in one go.

To complete the 2-S range with state-of-the-art lighting balloons, Airstar has developed LED technology for Sirocco. The Sirocco 2-S 12 x 10 W LED offers the perfect balance between power and small size.

WHY SHOULD YOU HAVE
THE SIROCCO 2-S 12 X 10 W LED ?

LED technology

LED technology has been adapted to Sirocco use. It offers great advantages compared to other lighting solutions. Indeed LEDs have a lower consumption, a longer life cycle, a hot restrike and they work well in safety extra low voltage.

An optimized power-to-autonomy ratio

The Sirocco 2-S 12 x 10 W LED is compact, lightweight and mobile. It is a very autonomous product. Indeed with 1 lithium battery, you have 4h autonomy at 12 000 lm (maximum brightness).

The Pro-case option

The Pro-case enables the transport in one go of your lighting balloon and all its accessories. You can either buy the Sirocco 2-S 12 x 10 W 48v LED alone or the Pro-pack. The Pro-pack is the complete set composed of the lighting balloon and all its accessories in the Pro-case. Here the lighting balloon is set up on a telescopic column fixed on the Pro-case.

SIROCCO 2-S

12 x 10 W LED

MAIN FEATURES

Sirocco 2S 12 x 10 W LED
 Lamps: 12 x 10 W LED COB
 Efficiency: 100 lm/W
 Maximum lumen: 12 000 lm
 Colour temperature: daylight, 6000°K


STRENGTHS

Strengths of Sirocco 2-S 12 x 10 W LED 48V
 LED lamps
 Instant restrike
 Autonomous: 4 hours autonomy
 at 12 000 lm
 Easy to use and quick set up
 Pro-pack version

Strengths of the Pro-pack
 All-in-one package
 Mobile and easy transport (wheels and
 telescopic handle)
 Robustness of the materials



MARKETS



Rescue lighting for
 emergency operations,
 firefighters...




Security lighting such
 as police check points




Industrial maintenance
 including confined
 space lighting



Small construction
 works such as towing
 and repair services



Logistical lighting on
 events and cinema
 sets for instance



Nautical operations:
 rescue, search, mainte-
 nance...

PACKAGING

	Metal case	Pro-pack version
Lighting balloon Sirocco 2-S 12 x 10 W 48v LED	✓	✓
1 battery + 1 charger	✓	✓
1 repair patch kit, 1 user manual, 1 glove	✓	✓
Telescopic column		✓



Standard version with metal storage box



Pro-pack version




SIROCCO 2-S

12 x 10 W LED



LIGHTING DATA

Open core area lighting requirement (EN1838 norm)	700 m ²
Very low risk area lighting requirement for safety and security (EN12464-2 norm)	150 m ²
Light under the balloon (2 m high)	200 lx
Maximum lumen	12 000 lm
Colour temperature: DAYLIGHT	6000°K



How to read the drawing : In a range of 15 m, being a surface of 700 m², we guarantee a lighting in accordance with the standard EN1838

TECHNICAL DATA

Lamps	12 x 10 W LED			
Average lamps life*	30 000 h			
Efficiency	100 lm/W			
Bulb / COB type	10 W LED COB			
Maximum power	125 W			
Power supply	48 v lithium battery			
Dimmable	100%	66%	33%	flash mode
Lifetime on battery	4h	6h	12h	8h
Restrike time	instant			
Envelope options	Multiple envelope colours, without reflector or with reverse reflector			


*Under normal conditions of use



SAFETY

Flame-retardant fabric	
Silver reflector to improve highlight luminance below the balloon and avoid light pollution	
Rain and dust proof material	IP54
Wind resistance	80 km/h


DIMENSIONS & PACKAGING




P400TA stand

Metal storage box (integrated handle)

Total weight without stand	10,5 kg
Net weight balloon only	3 kg




Full set lighting balloon, envelope with reflector, patch kit, manual, 1 battery with charger and glove, all in a metal box



Pro-pack (integrated handle and wheels)

Total weight with stand	20 kg
Net weight balloon only	3 kg



Full set lighting balloon, envelope with reflector, telescopic column, patch kit, manual, 1 battery with charger and glove, all in a black hard case